




WONDERFLOOR
Vinyl Flooring

www.wonderfloor.co.in

HITECH



Premium Printed Flooring



557501



557502



557503



557504



556801



556803



556804



556201



556202



556203



S56204



556205



555603



555604



555605



554501



554502



554503



554504



554505



554506



553402



553403



553404



553405



553406



552701



552702



552705



552707



552402



554203



554205



554208

WONDERFLOOR - the world-class vinyl flooring is a quality product from RMG Polyvinyl India Limited, an ISO 9001:2015 systems certified company. We are the largest manufacturers & exporters of PVC floor coverings, film, sheeting and artificial leather. We manufacture a wide range of vinyl flooring in state-of-the-art plant & machinery equipped with latest technology and optimum quality control. Wonderfloor has a wide sales distribution network across India.



HITECH is a premium printed range of flooring from Wonderfloor. Hitech comes in a wide range of colours and designs making it an ideal choice for homes, shops, offices, showrooms etc. It is available in a choice of wooden, marble and granite texture patterns. The natural texture and feel of the product imparts elegance & style and makes its maintenance a child's play.

DIMENSIONS AVAILABLE: Thickness 1.30 mm / Roll width 2 linear mtr / Roll length 20 linear mtr

PERFORMANCE CHARACTERISTICS

CHARACTERISTICS	SYMBOLS	TEST METHOD	RESULT
TOTAL WEIGHT		EN 430	2.30KG/SQ. MTR
THICKNESS OF WEAR LAYER		EN 429	0.15 MM
ABRASION RESISTANCE		EN 660-2 EN 649	WEAR GROUP M
DIMENSIONAL STABILITY		EN 434	≤ 0.4%
FLEXIBILITY AT LOW TEMPERATURE		EN 435	SHALL NOT CRACK OR SHOW ANY OTHER SIGN OF FAILURE
RESIDUAL INDENTATION AFTER STATIC LOAD		EN 433	≤ 0.10 MM
CASTOR CHAIR		EN 425	SUITABLE/CONTINUOUS USE
COLOUR FASTNESS TO DAY LIGHT		ISO 105-BO2	≥ BLUE WOOL STANDARD 4
RESISTANCE TO CHEMICALS			PRODUCTS ARE NORMALLY RESISTANT TO MILD DILUTED ACIDS & ALKALIES
SURFACE SPREAD FLAME		BS 476 PART 7	CLASS 1
FIRE PROPAGATION		BS 476 PART 6	(I)=10.8 (II)=1.7 } CLASS "O"
SLIP RESISTANCE		DIN 51130	R9
PERFORMANCE CLASSIFICATION		EN 685	32

For institutional/bulk enquiries, please e-mail : mkt@rmgpoly.com

or call : +91 9711200510

For export enquiries, please e-mail : info@rmgpoly.com

or call : +91 9873138885



ISO 9001:2015



RMG POLYVINYL INDIA LIMITED

Registered Office : UGSR 4, Ansals Plaza, Sector 1, Vaishali Ghaziabad 201 010, (U.P) INDIA

Tel.: +91 120-4284802/803/804/805/806. Fax: +91 11 66173679

E-mail: info@rmgpoly.com

Regional Offices :

- Ahmedabad: +91 9377262959 • Bangalore: +91 8088083037
- Bhubaneswar: +91 9337423999 • Chennai: +91 9380353335
- Chandigarh +91 9999143706 • Guwahati: +91 8822021287
- Hyderabad: +91 9533791422 • Indore: +91 7838590904
- Kolkata: +91 9582538009 • Kochi: +91 8893191421
- Lucknow: +91 9026708007 • Mumbai: +91 9323675979
- Pune: +91 9595191421 • Patna: +91 8252110100

WONDERFLOOR is the registered Trade Mark of RMG Polyvinyl India Limited www.wonderfloor.com

